

RENAULT

Application	Engine	Cyl	CC	Years	Set Number		Line No
	Model	Bore			Chrome	Plain	
25 2.8 V6 Injection, Alpine GTA, R 25, Espace	Z7W-700/702/706/707	91.00	2849	86-92	C1515 ^A	P1515 ^A	51
Alliance	847	76.00	1397	83-86	S5159 ⁺		20
Aloutte	810/25/26/29/03	73.00	1289	72-80	S5160 ⁺		12
Alpine /R1273	144	88.00	2664	72-84	C1440 ^A	P1440 ^A	45
Caravelle R-4	670	58.00	845	56-64	C1069	P1069	1
Caravelle R-4 (5-Ring Replc.)	670	58.00	845	56-64	C1128	P1128	3
Caravelle S/R1131	689	65.00	956	62-64	C1210 ^A	P1210 ^A	5
Caravelle S/R1132	688	70.00	1108	62-68	C1243	P1243	9
Clio	D4F	69.00	1149	00-On	S5207 ^{+AN}		8
Clio	D7F	69.00	1149	95-00	S5207 ^{+AN}		8
Clio	K7M-702/703/720/744/745/7	79.50	1598	96-98	S5111 ⁺		26
Clio	F7P-722	82.00	1764	91-94	S5152 ⁺		32
Clio Alize	E7J/E7J-T710	75.80	1390	94-99	C1863	P1863	17
Clio Baccara	E6J-H713/E7JH711	75.80	1390	91-94	C1863	P1863	17
Clio Baccara	F2N-U770	81.00	1721	91-92	C1636	P1636	31
Clio Baccara, Initiale, RSi	F3P/F3P-F710/755/758/K712	82.70	1794	94-97	C1959	P1959	36
Clio Baccara, RT	F3P-W755	82.70	1764	94-96	C1959	P1959	35
Clio Be Bop	E7F-708	75.80	1171	94-95	C1863	P1863	16
Clio Be Bop, RC, RL, Twingo	C3G-720	74.00	1239	92-96	C5112 ⁺	P5112 ⁺	13
Clio Chipie	E7F-708/E7F-D700	75.80	1171	93-95	C1863	P1863	18
Clio Fidji	E7J	75.80	1390	96-98	C1863	P1863	19
Clio RL (Diesel)	FQ8-730	80.00	1870	1990	C1837	P1837	30
Clio RT	F2N-U770	81.00	1721	90-92	C1636	P1636	31
Clio dCi (Diesel)	K9K-700/704	76.00	1461	2001	S5243 ⁺		21
Clio dCi (Diesel)	K9K-702/722	76.00	1461	2001	S5243 ⁺		21
Clio, Clio Sport	K4M	79.50	1598	00-01	S5190 ⁺		27
Clio, Twingo	D7F-700.701.702.706	69.00	1149	1996	S5059 ⁺		7
Coupe	807 727	77.00	1565	80-86	C1299	P1299	23
Dauphine R-4	670	58.00	845	56-69	C1069	P1069	1
Dauphine R-4/R-2130	670	58.00	845	60-67	C1127	P1127	2
Encore	840	76.00	1397	84-87	S5159 ⁺		20
Escape 2000 GTS, TSE	J5/J6/J7	88.00	1995	85-91	C1598	P1598	48
Escape GTS	J7R/T/RA	88.00	2165	86-91	C1598	P1598	49
Espace (Diesel)	G8T.714/716/740/760	87.00	2188	96-00	S5153 ⁺		41
Espace (Diesel)	G8T	87.00	2188	96-00	S5155 ⁺		42
Espace, Alize, Cyclade, Espace Grand	F3R	82.70	1998	96-00	C1959	P1959	37
Espace, Fuego, R21	J7T-718/762/763	88.00	2165	86-90	S5197 ⁺		43
Espace, Fuego, R21	J6R-710/711	88.00	1995	81-90	S5197 ⁺		44
Express Break Europa	E7J-Q724	75.80	1390	96-97	C1863	P1863	19
Express Break GTC, Combi Break (Diesel)	F8M-D720T	78.00	1595	87-90	C1932 ⁺		24
Express Break Phase II, Combi Phase II	C1G-726	71.50	1237	1992	C5109		11
Express Break, Combi, Pick up	C3G-710	74.00	1239	1993	C5112 ⁺	P5112 ⁺	13
Express Fourg. Tolee (Diesel)	F8M-G730	78.00	1595	87-92	C1932 ⁺		24
Fuego	847-700/701/720/722	76.00	1397	80-85	S5159 ⁺		20
Fuego (Diesel)	825	86.00	2068	84-87	C1661 ^{+A}		38
Fuego (Diesel)	J8S-712	86.00	2068	83-84	S5107 ⁺		39
Fuego /R1361	841	79.00	1647	72-84	C1436	P1436	25
Fuego GTS, TX	J5/J6/J7	88.00	1995	1984	C1598	P1598	48
Fuego R20 /TX/R1363	829	88.00	2165	84-86	C1598	P1598	47
Fuego Turbo	A5LD750	77.00	1565	80-85	C1299	P1299	23
J-112	J5/J6/J7	88.00	1995	81-84	C1598	P1598	48

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

RENAULT

Application	Engine	Cyl	CC	Years	Set Number		Line
	Model	Bore			Chrome	Plain	
Kangoo	D4F	69.00	1149	00-On	S5207 ^{+AN}		8
Kangoo	K7M-702/703/720/744/745/7	79.50	1598	1997	S5111 ⁺		26
Kangoo Pampa	E7J	75.80	1390	98-01	C1863	P1863	19
Kangoo dCi (Diesel)	K9K-700/704	76.00	1461	2001	S5243 ⁺		21
Laguna	F4P-720/733	82.70	1783	00-On	S5239 ^{+N}		33
Laguna	F5R-740	82.70	1783	00-On	S5239 ^{+N}		33
Laguna (Diesel)	G8T.714/716/740/760	87.00	2188	1995	S5153 ⁺		41
Laguna (Diesel)	G8T/E706/V760/752	87.00	2188	96-00	S5155 ⁺		42
Laguna, Aida, Baccara, Dedicace, Initiale, RT	F3R-E722/723	82.70	1998	93-01	C1959	P1959	37
Laguna, Aida, Baccara, Initiale, Lancel	F3P	82.70	1794	97-00	C1959	P1959	36
Logan (Diesel)	K9K	76.00	1461	07-On	S5243 ⁺		21
Master (Diesel)	8144.81.200	93.00	2445	1981	S5108 ⁺		54
Master Q2 Propulsion	J5R-718/728/829	88.00	1995	1981	S5197 ⁺		44
Master R-3 (Diesel)	J8S-330	86.00	2068	1983	S5110 ⁺		40
Master T30, T35, Micro Bus	J5R	88.00	1995	1981	C1598	P1598	48
Master, Propulsion PA, Traction, Trafic	8140.61.300	93.00	2445	1981	C5106		52
Megane	E7J	75.80	1390	99-00	C1863	P1863	19
Megane	F4R	82.70	2000	04-On	S5239 ^{+N}		34
Megane Aida, Initiale	F3R	82.70	1998	96-98	C1959	P1959	37
Megane Classic, RL, RN, RTA (Diesel)	FQ8-620	80.00	1870	1985	C1837	P1837	30
Megane Coupe, RL, RN, RT, RXE, Scenic	K7M-702/703/720/744/745/7	79.50	1598	1995	S5111 ⁺		26
Megane dCi (Diesel)	K9K-702/722	76.00	1461	2002	S5243 ⁺		21
Megane, Cabrio, Classic, Scenic	K4M	79.50	1598	1999	S5190 ⁺		27
Megane, RN, RT, RXE, Scenic (Diesel)	F8Q-784	80.00	1870	1996	S5169 ⁺		29
Megane, Scenic	K4J.714/750	79.50	1390	1999	S5190 ⁺		28
Nevada Alize	F3N-C722	81.00	1721	93-95	C1636	P1636	31
Nevada GTS, Nevada GTS Auto	F2N-W754/F2N-D711	81.00	1721	89-91	C1636	P1636	31
Nevada Prima TSi, RN	F3N-C722	81.00	1721	93-94	C1636	P1636	31
R-10	688	70.00	1108	1962	C1808	P1808	10
R-10/R1190	688	70.00	1108	66-72	C1243	P1243	9
R-10/R1192	810	73.00	1289	71-72	S5160 ⁺		12
R-11	688	70.00	1108	1962	C1808	P1808	10
R-11 Broadway, GTC, TC	C1G-702/720/722	71.50	1237	1986	C5109		11
R-11, R5 Super, R9	C1G-710/730	71.50	1237	1984	C5109		11
R-12 /R1152	807/821	77.00	1565	1971	C1299	P1299	23
R-12 /R1178	841	79.00	1647	72-77	C1436	P1436	25
R-12 Break	810/25/26/29/03	73.00	1289	70-84	S5160 ⁺		12
R-12 GORDINI	R12	77.00	1565	1972	C1299	P1299	23
R-14 GTL, GTS, TS,	150-A700/X5J-A700	75.00	1360	79-83	C1665	P1665	14
R-14 L, TL, GTL (Type R1210)	129-C710	75.00	1218	76-83	C1665	P1665	15
R-15 TL/R1304	841	79.00	1647	72-76	C1436	P1436	25
R-15 TS	807/821	77.00	1565	1972	C1299	P1299	23
R-15 TS/R1301	821	77.00	1565	72-75	C1299	P1299	23
R-16 R1150	697	76.00	1470	66-70	C1378	P1378	22
R-16 TA, TL, TS	807/821	77.00	1565	1968	C1299	P1299	23
R-17 TL	841	79.00	1647	74-80	C1436	P1436	25
R-17 TL, Gordini	843	79.00	1647	74-80	C1436	P1436	25
R-17 TL, TS	807/844	77.00	1565	1968	C1299	P1299	23
R-18 /R1341	841	79.00	1647	81-83	C1436	P1436	25
R-18 Break Turbo, R18 Turbo	A5L	77.00	1565	82-86	C1299	P1299	23
R-18 GTD, GTD, Societe (Diesel)	J8S	86.00	2068	1980	S5110 ⁺		40

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

RENAULT

	Engine	Cyl	Set Number				Line	
Application	Model	Bore	CC	Years	Chrome	Plain	No	
R-18 TX Break GTX, 4X4	J5/J6/J7	88.00	1995	82-86	C1598	P1598	48	
R-18, R-21TD, R-25TD (Diesel)	J8S	86.00	2068	1980	S5107*		39	
R-19	F7P-704	82.00	1764	89-96	S5152*		32	
R-19 Alize, Baccara, Cabriolet, RT	F3P-B704/C705/706/M700	82.70	1794	94-97	C1959	P1959	36	
R-19 Chamade Dynamic, GTX, TXE	F2N-M720	81.00	1721	89-92	C1636	P1636	31	
R-19 D, DX, RT, TDX (Diesel)	F8Q-740/744/768	80.00	1870	92-95	S5169*		29	
R-20 GTD, TD (Diesel)	J8S-852	86.00	2068	79-84	S5107*		39	
R-20 LS, TS	J5/J6/J7	88.00	1995	78-83	C1598	P1598	48	
R-20 TX,	851	88.00	2165	81-84	C1598	P1598	47	
R-20/R1272	829	88.00	1995	79-84	C1598	P1598	46	
R-21 GTS, GTX	J5/J6/J7	88.00	1995	86-92	C1598	P1598	48	
R-21 Turbo	J7R/752T	88.00	1995	86-92	C1598	P1598	48	
R-25 GTD,TD (Diesel)	J8S-706	86.00	2068	84-88	S5110*		40	
R-25 GTX, Automatic	J7R/T/RA	88.00	1995	84-90	C1598	P1598	50	
R-25 TS, GTS 2000	J5/J6/J7	88.00	1995	85-92	C1598	P1598	48	
R-4	688	70.00	1108	1962	C1808	P1808	10	
R-4 Plus	826	65.00	1020		C1572	P1572	6	
R-5	688	70.00	1108	1962	C1808	P1808	10	
R-5 "Le Car"	847	76.00	1397	80-83	S5159*		20	
R-5TL, R-5GTL, "Le Car"	810	73.00	1289	76-79	S5160*		12	
R-6/R1180	800	58.00	845	69-80	C1584	P1584	4	
R-6L	688	70.00	1108	1962	C1808	P1808	10	
R-8	688	70.00	1108	1962	C1808	P1808	10	
R-8 MKI	689	65.00	956	62-79	C1210 ^A	P1210 ^A	5	
R-8 Major	688	70.00	1108	64-72	C1243	P1243	9	
R-9	688	70.00	1108	1962	C1808	P1808	10	
R-9 Broadway 1.4	C1J-700/793	76.00	1397	83-86	S5159*		20	
R-9 Broadway D, Louisiane, Spring, TDE (Diesel)	F8M	78.00	1595	82-89	C1932*		24	
R19 RL (Diesel)	F8Q-A706	80.00	1870	92-94	C1837	P1837	30	
S-112	J5/J6/J7	88.00	1995	1981	C1598	P1598	48	
Safrane (Diesel)	G8T.714/716/740/760	87.00	2188	96-01	S5153*		41	
Safrane (Diesel)	G8T	87.00	2188	97-00	S5155*		42	
Safrane RN TD, RT TD, RXE TD (Diesel)	8144.97.1400.2400	93.00	2499	1992	S5108*		53	
Scenic Alize, Egeus, RTE, RXT	F3R	82.70	1998	96-99	C1959	P1959	37	
Scenic RTA	E7J	75.80	1390	96-98	C1863	P1863	19	
Super 5 Campus, Five Societe (Diesel)	F8M-G730	78.00	1595	89-95	C1932*		24	
Super 5 Saga TD (Diesel)	F8M-D720	78.00	1595	85-90	C1932*		24	
Traffic 4X4	J5R	88.00	1995	1982	C1598	P1598	48	
Traffic 900, 1100, Bus	F1N-A720/F1N-C724	81.00	1721	89-94	C1636	P1636	31	
Traffic Estafette	810/25/26/29/03	73.00	1289	72-80	S5160*		12	
Twingo	D4F	69.00	1149	00-On	S5207* ^{AN}		8	
Twingo	D7F	69.00	1149	95-00	S5207* ^{AN}		8	
Twingo	C3G-700/702	74.00	1239	93-96	C5112*	P5112*	13	
Line				Bore Diameter		Ring Size		
No	Application	CC	Set No	Cyl	Inch	MM	Comp	Oil
1	Caravelle R-4 Dauphine R-4	(.7L) 845	P1069 C1069	4	2.283	58.00	4 - 2.00 4 - 2.00 4 - 2.00	4 - 3.50
2	Dauphine R-4/R-2130	(.7L) 845	P1127 C1127	4	2.283	58.00	4 - 2.00 4 - 2.00	4 - 3.50

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

RENAULT

Line No	Application		CC	Set No	Cyl	Bore Diameter		Ring Size	
						Inch	MM	Comp	Oil
3	Caravelle R-4 (5-Ring Replc.)	(.7L)	845	P1128 C1128	4	2.283	58.00	4 - 2.00 4 - 2.00 4 - 2.00	4 - 3.50 4 - 3.50
4	R-6/R1180	(.8L)	845	P1584 C1584	4	2.283	58.00	4 - 1.75 4 - 2.00	4 - 3.50
5	Caravelle S/R1131 R-8 MKI	(1.0L)	956	P1210 ^A C1210 ^A	4	2.559	65.00	4 - 2.00 4 - 2.00	4 - 3.50
6	R-4 Plus	(1.0L)	1020	P1572 C1572	4	2.559	65.00	4 - 1.75 4 - 2.00	4 - 4.00
7	Clio, Twingo	(1.1L)	1149	S5059 ⁺	4	2.717	69.00	4 - 1.50 4 - 1.50	4 - 2.50
8	Clio Kangoo Twingo Clio Twingo	(1.1L)	1149	S5207 ^{+AN}	1	2.717	69.00	4 - 1.20 4 - 1.50	4 - 2.50
9	Caravelle S/R1132 R-8 Major R-10/R1190	(1.1L)	1108	P1243 C1243	4	2.756	70.00	4 - 2.00 4 - 2.00	4 - 3.50
10	R-4 R-5 R-6L R-8 R-9 R-10 R-11	(1.1L)	1108	P1808 C1808	4	2.756	70.00	4 - 1.75 4 - 2.00	4 - 3.50
11	R-11 Broadway, GTC, TC R-11, R5 Super, R9 Express Break Phase II, Combi Phase II	(1.2L)	1237	C5109	4	2.815	71.50	4 - 1.75 4 - 2.00	4 - 4.00
12	Aloutte R-12 Break Trafic Estafette R-5TL, R-5GTL, "Le Car" R-10/R1192	(1.3L)	1289	S5160 ⁺	4	2.874	73.00	4 - 1.75 4 - 2.00	4 - 4.00
13	Twingo Express Break, Combi, Pick up Clio Be Bop, RC, RL, Twingo	(1.2L)	1239	P5112 ⁺ C5112 ⁺	4	2.913	74.00	4 - 1.50 4 - 1.75	4 - 3.00
14	R-14 GTL, GTS, TS,	(1.4L)	1360	P1665 C1665	4	2.953	75.00	4 - 1.75 4 - 2.00	4 - 4.00
15	R-14 L, TL, GTL (Type R1210)	(1.2L)	1218	P1665 C1665	4	2.953	75.00	4 - 1.75 4 - 2.00	4 - 4.00
16	Clio Be Bop	(1.2L)	1171	P1863 C1863	4	2.984	75.80	4 - 1.50 4 - 1.75	4 - 3.00
17	Clio Alize Clio Baccara	(1.4L)	1390	P1863 C1863	4	2.984	75.80	4 - 1.50 4 - 1.75	4 - 3.00
18	Clio Chipie	(1.2L)	1171	P1863 C1863	4	2.984	75.80	4 - 1.50 4 - 1.75	4 - 3.00
19	Clio Fidji Express Break Europa Kangoo Pampa Megane Scenic RTA	(1.4L)	1390	P1863 C1863	4	2.984	75.80	4 - 1.50 4 - 1.75	4 - 3.00
20	Fuego R-9 Broadway 1.4 Continued On Next Page	(1.4L)	1397	S5159 ⁺	4	2.992	76.00	4 - 1.75 4 - 2.00	4 - 3.97

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

RENAULT

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size	
					Inch	MM	Comp	Oil
	< Continued > Encore Alliance R-5 "Le Car"							
21	Clio dCi (Diesel) (1.5L) Kangoo dCi (Diesel) Clio dCi (Diesel) Megane dCi (Diesel) Logan (Diesel)	1461	S5243 *	4	2.992	76.00	4 - 2.00 4 - 2.00	4 - 2.50
22	R-16 R1150 (1.5L)	1470	P1378 C1378	4	2.992	76.00	4 - 2.00 4 - 2.00	4 - 4.00
23	R-12 /R1152 (1.6L) R-15 TS/R1301 Coupe Fuego Turbo R-12 GORDINI R-15 TS R-16 TA, TL, TS R-17 TL, TS R-18 Break Turbo, R18 Turbo	1565	P1299 C1299	4	3.031	77.00	4 - 1.75 4 - 2.00	4 - 4.00
24	R-9 Broadway D, Louisiane, Spring, TDE (1.6L) (Diesel) Super 5 Campus, Five Societe (Diesel) Super 5 Saga TD (Diesel) Express Break GTC, Combi Break (Diesel) Express Fourg. Tolee (Diesel)	1595	C1932 *	4	3.071	78.00	4 - 2.00 4 - 2.00	4 - 3.00
25	Fuego /R1361 (1.6L) R-12 /R1178 R-15 TL/R1304 R-17 TL R-18 /R1341 R-17 TL, Gordini	1647	P1436 C1436	4	3.110	79.00	4 - 1.75 4 - 2.00	4 - 4.00
26	Clio (1.6L) Kangoo Megane Coupe, RL, RN, RT, RXE, Scenic	1598	S5111 *	4	3.130	79.50	4 - 1.50 4 - 1.50	4 - 2.50
27	Clio, Clio Sport (1.6L) Megane, Cabrio, Classic, Scenic	1598	S5190 *	4	3.130	79.50	4 - 1.20 4 - 1.50	4 - 2.50
28	Megane, Scenic (1.4L)	1390	S5190 *	4	3.130	79.50	4 - 1.20 4 - 1.50	4 - 2.50
29	Megane, RN, RT, RXE, Scenic (Diesel) (1.9L) R-19 D, DX, RT, TDX (Diesel)	1870	S5169 *	4	3.150	80.00	4 - 2.50 ^{FK} 4 - 2.00	4 - 3.00
30	Clio RL (Diesel) (1.9L) Megane Classic, RL, RN, RTA (Diesel) R19 RL (Diesel)	1870	P1837 C1837	4	3.150	80.00	4 - 2.00 4 - 2.00	4 - 3.00
31	Trafic 900, 1100, Bus (1.7L) Clio Baccara Nevada Alize R-19 Chamade Dynamic, GTX, TXE Clio RT Nevada GTS, Nevada GTS Auto Nevada Prima TSi, RN	1721	P1636 C1636	4	3.189	81.00	4 - 1.75 4 - 2.00	4 - 3.00
32	R-19 (1.8L) Clio	1764	S5152 *	4	3.228	82.00	4 - 1.50 4 - 1.50	4 - 3.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

RENAULT

Line No	Application		CC	Set No	Cyl	Bore Diameter		Ring Size	
						Inch	MM	Comp	Oil
33	Laguna	(1.8L)	1783	S5239 ^{+N}	4	3.256	82.70	4 - 1.20 4 - 1.50	4 - 2.00
34	Megane	(2.0L)	2000	S5239 ^{+N}	4	3.256	82.70	4 - 1.20 4 - 1.50	4 - 2.00
35	Clio Baccara, RT	(1.8L)	1764	P1959 C1959	4	3.256	82.70	4 - 1.50 4 - 1.75	4 - 3.00
36	Clio Baccara, Initiale, RSi Laguna, Aida, Baccara, Initiale, Lancel R-19 Alize, Baccara, Cabriolet, RT	(1.8L)	1794	P1959 C1959	4	3.256	82.70	4 - 1.50 4 - 1.75	4 - 3.00
37	Laguna, Aida, Baccara, Dedicace, Initiale, RT Espace, Alize, Cyclade, Espace Grand Megane Aida, Initiale Scenic Alize, Egeus, RTE, RXT	(2.0L)	1998	P1959 C1959	4	3.256	82.70	4 - 1.50 4 - 1.75	4 - 3.00
38	Fuego (Diesel)	(2.0L)	2068	C1661 ^{+A}	4	3.386	86.00	4 - 2.00 4 - 2.00	4 - 4.00
39	R-18, R-21TD, R-25TD (Diesel) Fuego (Diesel) R-20 GTD, TD (Diesel)	(2.0L)	2068	S5107 ⁺	4	3.386	86.00	4 - 2.50 ^{FK} 4 - 2.50	4 - 4.00
40	R-18 GTD, GTD, Societe (Diesel) Master R-3 (Diesel) R-25 GTD,TD (Diesel)	(2.0L)	2068	S5110 ⁺	4	3.386	86.00	4 - 2.25 4 - 2.00	4 - 3.00
41	Espace (Diesel) Laguna (Diesel) Safrane (Diesel)	(2.2L)	2188	S5153 ⁺	4	3.425	87.00	4 - 3.50 ^{FK} 4 - 1.75	4 - 2.50
42	Espace (Diesel) Laguna (Diesel) Safrane (Diesel)	(2.2L)	2188	S5155 ⁺	4	3.425	87.00	4 - 2.50 4 - 1.75	4 - 2.50
43	Espace, Fuego, R21	(2.2L)	2165	S5197 ⁺	4	3.465	88.00	4 - 1.50 4 - 1.75	4 - 3.00
44	Espace, Fuego, R21 Master Q2 Propulsion	(2.0L)	1995	S5197 ⁺	4	3.465	88.00	4 - 1.50 4 - 1.75	4 - 3.00
45	Alpine /R1273	(2.7L)	2664	P1440 ^A C1440 ^A	6	3.465	88.00	6 - 1.50 6 - 2.00	6 - 4.00
46	R-20/R1272	(2.0L)	1995	P1598 C1598	4	3.465	88.00	4 - 1.75 4 - 2.00	4 - 4.00
47	Fuego R20 /TX/R1363 R-20 TX,	(2.1L)	2165	P1598 C1598	4	3.465	88.00	4 - 1.75 4 - 2.00	4 - 4.00
48	Fuego GTS, TX J-112 R-18 TX Break GTX, 4X4 R-20 LS, TS R-21 GTS, GTX R-25 TS, GTS 2000 S-112 Escape 2000 GTS, TSE Master T30, T35, Micro Bus Traffic 4X4 R-21 Turbo	(2.0L)	1995	P1598 C1598	4	3.465	88.00	4 - 1.75 4 - 2.00	4 - 4.00
49	Escape GTS	(2.2L)	2165	P1598 C1598	4	3.465	88.00	4 - 1.75 4 - 2.00	4 - 4.00
50	R-25 GTX, Automatic	(2.0L)	1995	P1598 C1598	4	3.465	88.00	4 - 1.75 4 - 2.00	4 - 4.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

RENAULT

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size	
					Inch	MM	Comp	Oil
51	25 2.8 V6 Injection, Alpine GTA, R 25, Espace	2849	P1515^A C1515^A	6	3.583	91.00	6 - 1.50 6 - 2.00	6 - 4.00
52	Master, Propulsion PA, Traction, Trafic (2.4L)	2445	C5106	4	3.661	93.00	4 - 3.00 4 - 2.00	4 - 4.00
53	Safrane RN TD, RT TD, RXE TD (Diesel) (2.5L)	2499	S5108⁺	4	3.661	93.00	4 - 3.00 ^{FK} 4 - 2.00	4 - 3.00
54	Master (Diesel) (2.4L)	2445	S5108⁺	4	3.661	93.00	4 - 3.00 ^{FK} 4 - 2.00	4 - 3.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone