

TRANSMISSION BV 75W-80



OIL FOR MANUAL TRANSMISSIONS

USES

- TOTAL transmission BV is an oil specially designed for the lubrication of manual gear boxes of passenger cars.

PROPERTIES

- Fluid multigrade gear oil.
- High viscosity index which allows a very good lubrication.
- Improved thermal stability.
- Excellent fluidity at low temperature ensuring easy cold start and contributing to save energy.
- High Extreme-Pressure properties.
- Excellent stability in service.
- Excellent wear reducing properties, anticorrosion and antirust properties.
- The gear shifts are easy at cold temperatures as well as high temperatures.
- Shiftfeel agreement.

CHARACTERISTICS

| TRANSMISSION BV | Units | Grade SAE 75W-80 |
|-------------------------------|--------------------|---------------------|
| Volumetric mass at 15°C | kg/m ³ | 887 |
| Viscosity at 40°C | mm ² /s | 49 |
| Viscosity at 100°C | mm ² /s | 8 |
| Viscosity index | - | 137 |
| Viscosity Brookfield at -40°C | mPa/s | 104 000 |
| Flash point Cleveland | °C | 208 |
| Pour point | °C | - 45 |

The typical characteristics mentioned represent mean values.

SPECIFICATIONS

API GL-4+
PSA PEUGEOT CITROEN B71 2330

TOTAL LUBRIFIANTS
562 avenue du Parc de L'île
92029 NANTERRE Cedex
France

TRANSMISSION BV 75W-80
AUGUST 2010
N° MPR 07/05



This lubricant, when used in accordance with our recommendations and for the application for which it is intended, does not constitute a special hazard.
A safety data file conforming to the requirements of current EC legislation is available from your local trade consultant